



PV Wizard 이용자 가이드

2022 release



new PV wizard search form



Embase

[Search](#) [Emtree](#) [Journals](#) [Results](#) [My tools](#) [?](#) [Sejin Kim](#) 

Quick [Select Language](#) ▼

[Quick](#) [PICO](#) **[PV Wizard](#)** [Medical device](#) [Advanced](#) [Drug](#) [Disease](#) [Device](#) [Citation information](#)

Find articles by simple keyword search or build more complex queries

[Search tips](#) ↗

Broad search e.g. 'heart attack' AND stress

✚ Add field ▼ Limit to

⌛ Reset form

Show results

검색 메뉴에서 PV 마법사 (Wizard)를 선택하십시오.

PV wizard search form

Emtree

Find best term

Emtree

anatomical concepts

biological functions

biomedical disciplines, science and art

chemical, physical and mathematical phenomena

chemicals and drugs

diseases

geographic names

groups by age and sex

health care concepts

named groups of persons

organisms

procedures, parameters and devices

society and environment

types of article or study

5가지 검색 요소

MLM Query

EMA's MLM searches >

PV wizard

Drug name

Alternative drug names

Adverse drug reactions

Special situations

Human limit

Drug name

e.g. Paracetamol

Clear field

검색어 입력 및 편집

Subheadings

☒ Adverse drug reaction

☐ Drug combination


☒ Drug toxicity

☐ Drug comparison

☒ Drug interaction

☐ Drug therapy

선별된 부제목



ELSEVIER

Search drug name


Find best term
paracetam|

- ☒ paracetaminophen
Use preferred term 'paracetamol'
75,717 records found
- ☒ **paracetamol**
75,717 records found
- ☒ paracetamol ester
Use preferred term 'paracetamol'
75,717 records found
- ☒ paracetamole
Use preferred term 'paracetamol'
75,717 records found
- ☒ paracetamol plus codeine phosphate
Use preferred term 'cocodamol'
1,419 records found

(왼쪽) "Find best term"에서 약물 이름을 입력하고 제안 목록에서 용어 중 하나를 선택하십시오. 선택한 용어가 검색어에 직접 추가됩니다.

(오른쪽) Emtree는 선택한 용어가 **강조 표시**되어 나타납니다.

용어 위에 마우스를 올려 놓고이 용어에 대한 자세한 내용을 보려면 "+"를 클릭하십시오. "+"를 클릭하여 검색어에 이 용어를 추가하십시오.



Search drug name

PV wizard

EMA's MLM searches >

Drug name

Alternative drug names

Adverse drug reactions

Special situations

Human limit

Drug name

paraceta

<input type="radio"/> paracetaminophen use: paracetamol	76,213
<input type="radio"/> paracetamol	76,213
<input type="radio"/> paracetaldehyde use: paraldehyde	1,671
<input type="radio"/> paracetamol derivative	247
<input type="radio"/> paracetamol c 14 This is a candidate term	85
<input type="radio"/> paracetamol cysteine This is a candidate term	31
<input type="radio"/> paracetamol 2 6 dimethyl use: 2', 6' dimethylparacetamol	14
<input type="radio"/> paracetamol 3 cysteinyl use: 3 cysteinylparacetamol	14
<input type="radio"/> paracetamol blood level This is a candidate term	11

Search details

Summary:

[drug]/[subheading] OR [drug]-induced:de,ab,ti

☐ Full search strategy

Next step >

의약품 이름은 검색어 입력란에 직접 입력 할 수도 있습니다. 추천 목록에서 용어 중 하나를 선택하십시오. 선택한 용어가 직접 추가됩니다.

검색세부정보

전체 검색 전략을 검토하려면 클릭하십시오.

Search drug name

약물 이름은 기본적으로 미리 선택된 소제목으로 검색됩니다. 더 많은 부제목을 선택하거나 선택을 취소하십시오.

검색 진행되는 동안, Embase는 결과의 수를 계산하고 페이지의 하단 중앙에 숫자를 표시합니다.

계속하려면 "다음 단계"를 클릭하십시오.

PV wizard EMA's MLM searches >

Drug name Alternative drug names Adverse drug reactions Special situations Human limit

Drug name

paracetamol Clear field


Subheadings

<input checked="" type="checkbox"/> Adverse drug reaction	<input type="checkbox"/> Drug combination
<input checked="" type="checkbox"/> Drug toxicity	<input type="checkbox"/> Drug comparison
<input checked="" type="checkbox"/> Drug interaction	<input type="checkbox"/> Drug therapy

Search details

Summary:

[drug]/[subheading] OR [drug]-induced.de,ab,ti

 Full search strategy

Show 14,338 results > Next step >

대체 약물 이름 추가

221 variants

for Paracetamol

ALL ☒

4 acetamidophenol ☒

4 acetaminophenol ☒

4 acetylaminophenol ☒

4 hydroxyacetanilide ☒

4' hydroxyacetanilide ☒

a-mol ☒

abenol ☒

acamol ☒

acamoli forte suppositories for kids ☒

acenol ☒

acephen ☒

acet suppositories ☒

acetalgin ☒

acetamino phenol ☒

PV wizard

Drug name

Alternative drug names

Adverse drug reactions

Special situations

Human limit

Paracetamol:de OR

+ 221 variants

221 variants for Paracetamol from Emtree

have been added to your search (see the panel on the left)

+ Add more alternative drug names

Reset form

EMA's MLM searches >

Search in:

☐ tn Tradename

☐ :tn,ti Tradename or title

☒ :tn,ti,ab Tradename, title or abstract

☐ all All fields

Search details

Summary:

[drug]/[subheading] OR [drug]-induced:de,ab,ti OR [drug]:de OR [variants]:tn,ti,ab

Full search strategy

< Previous step

Show 158,067 results >

Next step >

대체 약물 이름 추가

The screenshot displays the 'PV wizard' interface. On the left, a panel titled '221 variants for Paracetamol' lists various drug names with toggle switches. The 'ALL' toggle is turned on. The list includes: 4 acetamidophenol, 4 acetaminophenol, 4 acetylamino phenol, 4 hydroxyacetanilide, 4' hydroxyacetanilide, a-mol, abenol, acamol, acamoli forte suppositories for kids, acenol, acephen, acet suppositories, and acetalgin. On the right, the 'PV wizard' section shows a progress bar with 'Alternative drug names' selected. Below the progress bar, it says 'Paracetamol.de OR + 221 variants'. A message states: '221 variants for Paracetamol from Emtree have been added to your search (see the panel on the left)'. At the bottom, there are two buttons: '+ Add more alternative drug names' and 'Reset form'.

Variant	Toggle
4 acetamidophenol	ON
4 acetaminophenol	ON
4 acetylamino phenol	ON
4 hydroxyacetanilide	ON
4' hydroxyacetanilide	ON
a-mol	ON
abenol	ON
acamol	ON
acamoli forte suppositories for kids	ON
acenol	ON
acephen	ON
acet suppositories	ON
acetalgin	ON

약물 이름에 동의어가 포함되어 있으면 동의어 목록이 페이지의 왼쪽에 나타납니다. 모든 동의어는 기본적으로 검색 쿼리에 추가됩니다.

각 동의어 옆에 있는 라디오 버튼을 클릭하여 제외 할 동의어를 선택하십시오.

동의어가 목록에 없으면 "대체 약물 이름 추가"를 클릭하십시오.

수동으로 추가 한 동의어를 삭제하려면 "양식 재설정"을 클릭하십시오.

대체 약물 이름 추가

기본적으로 동의어는 제목과 초록 (: ti, ab)의 자유 텍스트 검색을 사용하여 검색됩니다.

제목 (: ti) 또는 초록 (: ab)만 검색하거나 레코드의 모든 필드 (: all)를 검색하려면 "검색 위치" 상자를 사용하십시오.

"참고"상자는 쿼리 구조를 나타냅니다.

그리고 Embase는 계속해서 결과의 수를 계산합니다.

PV wizard EMA's MLM searches >

Drug name Alternative drug names Adverse drug reactions Special situations Human limit

Paracetamol.de OR + 221 variants

221 variants for Paracetamol from Entree have been added to your search (see the panel on the left)

+ Add more alternative drug names Reset form


Search In:

- ☐ :tn Tradename
- ☐ :tn,ti Tradename or title
- ☒ :tn,ti,ab Tradename, title or abstract
- ☐ :all All fields

Search details

Summary:

[drug]/[subheading] OR [drug]-induced:de,ab,ti OR [drug]:de OR [variants]:tn,ti,ab

 Full search strategy

< Previous step Show 158,067 results > Next step >

약물부작용 영역 설정

"약물 부작용"결과를 검색하기 위한 검색 전략은 사전 코딩 되어 있습니다. 이 검색 전략은 업계 대표자들과 함께 만들었습니다.

텍스트 상자에서 직접 쿼리를 편집하십시오.

검색 쿼리를 처음부터 정의하려면 "쿼리 지우기"를 클릭하십시오.

"Reset form"은 미리 코딩 된 쿼리로 되돌아갑니다.

PV wizard EMA's MLM searches >

Drug name Alternative drug names **Adverse drug reactions** Special situations Human limit

'adverse drug reaction'/exp OR 'adverse drug reaction':lnk OR adverse:de,ab,ti OR ((side OR undesirable OR unwanted) NEXT/2 (effect* OR reaction* OR event* OR outcome*)):de,ab,ti OR 'side effect'/lnk OR 'side effect'/exp OR 'complication'/lnk OR 'complication'/exp OR complication:de,ab,ti OR 'worsening':de,ab,ti OR 'case report':de,ab,ti OR 'pharmacovigilance':de,ab,ti OR 'postmarketing surveillance'/exp OR 'drug interaction':lnk OR 'drug interaction'/exp OR 'toxicity'/exp OR 'drug toxicity':lnk OR toxic:de,ab,ti OR intox:de,ab,ti OR 'safety':de,ab,ti OR poison:de,ab,ti OR pharmacotox:de,ab,ti OR neurotox:de,ab,ti OR cardiotox:de,ab,ti OR nephrotox:de,ab,ti OR hepatotox:de,ab,ti OR immunotox:de,ab,ti OR immunocytotox:de,ab,ti OR cytotox:de,ab,ti OR carcinogen:de,ab,ti OR cancerogen:de,ab,ti OR mutagen:de,ab,ti OR terato:de,ab,ti OR 'fatal outcome'/exp OR 'death'/exp OR death:de,ab,ti OR 'suicide'/exp OR suicid:de,ab,ti OR mortal:de,ab,ti OR fatal:de,ab,ti OR 'risk'/exp OR nocebo:de,ab,ti OR 'lethal concentration'/exp OR 'iatrogenic disease'/exp OR 'fertility'/exp OR 'substance-related disorders'/exp OR 'chemically induced':de,ab,ti OR 'morbidity':de,ab,ti OR 'congenital disorder':de,ab,ti OR infertility/exp OR injury/exp

Clear query Reset form

Search details

Summary:

(([drug]/[subheading] OR [drug]-induced:de,ab,ti) OR ([drug]:de OR [variants]:tn,ti,ab) AND ([adverse drug reactions]))

Full search strategy

< Previous step Show 158,067 results > Next step >

특별한 상황 추가

PV wizard EMA's MLM searches >

Drug name Alternative drug names Adverse drug reactions **Special situations** Human limit

'pregnancy'/exp OR pregnant*:de,ab,ti OR pregnanc*:de,ab,ti OR 'pregnancy complication'/exp OR 'pregnancy disorder'/exp OR 'abortion'/exp OR 'abortion':de,ab,ti OR 'lactation'/exp OR 'breast feeding':de,ab,ti OR 'breastfeeding':de,ab,ti OR 'breast milk':de,ab,ti OR 'reproduction'/de OR 'fetus'/de OR 'embryo'/de OR 'prenatal':de,ab,ti OR 'perinatal':de,ab,ti OR 'newborn':de,ab,ti OR 'parameters concerning the fetus, newborn and pregnancy'/exp OR aged/exp OR elderly:de,ti,ab OR geriatric*:ti,ab OR ((environmental OR occupational) NEXT/1 exposure*:de,ab,ti OR 'compassionate use':de,ab,ti OR (named NEXT/1 (use OR patient*)):ab,ti OR 'inappropriate prescri*':de,ab,ti OR 'drug metabolism'/exp OR 'organ dysfunction':de,ab,ti OR 'organ failure':de,ab,ti OR 'hypersensitivit*':de,ab,ti OR allerg*:de,ab,ti OR counterfeit:de,ab,ti OR 'falsified drug':de,ab,ti OR ('unavailab*' NEAR/2 drug):de,ab,ti OR 'drug resistance'/exp OR 'drug resistance':de,ab,ti OR 'withdrawal syndrome'/de OR (drug* NEAR/3 (withdrawal OR toleran* OR interact* OR exposure* OR induc* OR resist* OR ineff* OR nonrespon* OR unrespon*)):de,ab,ti OR 'drug tolerance'/exp OR ((drug* OR treatment) NEXT/1 (failure* OR contraindication*)):de,ab,ti OR 'medication error'/exp OR (near NEXT/1 miss*):ab,ti OR ineff*:ti OR nonrespon*:ti OR unrespon*:ti OR ((lack OR no OR non OR 'not') NEXT/2 (eff* OR respon*)):ab,ti OR 'device failure':de,ab,ti OR manufacturing near/3 (error OR fault OR mistake OR failure OR contamination OR impurity) OR 'patient compliance'/exp OR overdos*:de,ab,ti OR 'drug abuse'/exp OR abus*:de,ab,ti OR misus*:de,ab,ti OR 'off label':de,ab,ti OR unlicensed:de,ab,ti

Clear query Reset form

Search details

Summary:

(([drug]/[subheading] OR [drug]-induced:de,ab,ti) OR (([drug]:de OR [variants]:tn,ti,ab) AND (([adverse drug reactions]) OR ([special situations])))

Full search strategy

< Previous step Show 158,067 results > Next step >

임신, 수유, 뇌 기능 장애 등과 같은 특별한 상황에 대한 용어 및 구문을 추가합니다.

텍스트 상자에서 직접 쿼리를 편집하십시오.

검색 쿼리를 처음부터 정의하려면 "쿼리 지우기"를 클릭하십시오.

"Reset form"은 미리 코딩된 쿼리로 되돌아갑니다.

ICSR에 Human으로 제한 설정

PV wizard EMA's MLM searches >

Drug name Alternative drug names Adverse drug reactions Special situations **Human limit**

'human'/exp OR human OR m?n OR wom?n OR child OR boy OR girl

Clear query Reset form

Limit to:

☐ Publication years (including): 2017 ▼ to 2017 ▼

☐ Records added to Embase: 1-1-2016 to 31-12-2016

Search details

Summary:

(([drug]/[subheading] OR [drug]-induced:de,ab,ti) OR (([drug]:de OR [variants]:tn,ti,ab) AND (([adverse drug reactions]) OR ([special situations])))) AND (human limit)

Full search strategy

Previous step Show 158,067 results >

"Human"을 추가하여 쿼리를 완료합니다.

'검색어 삭제'를 클릭하여 검색어를 처음부터 정의하거나 이 입력란을 비워 둡니다.

출판 연도 및 / 또는 추가된 날짜로 검색 결과를 필터링하십시오.

하단 중간 단추를 클릭하여 검색 결과를 검토하십시오.

[illegible]

검색 결과 저장 및 이메일 알림 설정

57,085 results for search #1

[Set email alert](#) [Set RSS feed](#) [Search details](#)

☐ Results View | Print | Export | Email | Order | Add to Clipboard

Select number of items ▼ Selected: 0 (clear) Show all abstracts | Sort by: (C)

☐ 1 A multicenter, open-label, long-term **safety** and tolerability study of DFN-02, permeation enhancer DDM, for the acute treatment of episodic migraine
Munjal S., Brand-Schieber E., Allenby K., Spierings E.L.H., Cady R.K., Rapoport A.M.
Journal of Headache and Pain 2017 18:1 Article Number 31
Embase [▼ Abstract](#) [▼ Index Terms](#) [> View Full Text](#)

☐ 2 Antiepileptic **Drugs-induced** Stevens-Johnson syndrome: A case Series
Trivedi B.S., Darji N.H., Malhotra S.D., Patel P.R.
Journal of Basic and Clinical Pharmacy 2017 8:1 (42-44)
Embase [▼ Abstract](#) [▼ Index Terms](#) [> View Full Text](#)

☐ 3 Unusual Case of an Alcoholic with Liver Injury from Sulfasalazine Use
Masood U., Sharma A., Nijjar S., Krenzer B.
Journal of Basic and Clinical Pharmacy 2017 8:1 (38-39)
Embase [▼ Abstract](#) [▼ Index Terms](#) [> View Full Text](#)

☐ 4 Fluorescent nanoprobe for in-vivo ratiometric imaging of endogenous hydrogen peroxide resulted from **drug-induced**

Set Email Alert

Email alerts will produce an email with a maximum of 1000 records.

Alert name

Comments (optional)

Email address(es)

Email addresses should be separated by a semi-colon (;)

Email format ☒ HTML ☐ Text ☐ RIS (as an attachment)

Content selection

Frequency on

Alert sent ☐ Send an alert only when there are results

Articles in Press and in Process ☒ Include

[Cancel >](#) [Set email alert >](#)

반출(내보내기) 내역

Embase®

Search ▾ Browse ▾ Results Tools ▾ Ivan Krstic ▢ Logout ⚙️ 🔔(1)

Email Alerts

☐ Delete | ☐ Import | ☐ Export alerts

#26 apixaban

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

n/a

not sent yet

🟢

☐ #25 ait

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

n/a

not sent yet

🟢

☐ #24 AiP

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

n/a

not sent yet

🟢

☐ #23 IP-2

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

n/a

not sent yet

🟢

☐ #22 IP

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

n/a

not sent yet

🟢

☐ #21 test

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

1

25 Apr 2016

🟢

☐ #20 Ethyl Bromoacetate is a mutagenic compound

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

0

25 Apr 2016

🟢

☐ #19 PV alert

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

2353

25 Apr 2016

🟢

☐ #18 Test term for CEF

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

1073

20 Nov 2015

🟡

☐ #17 Fully indexed records

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

0

01 May 2016

🟢

☐ #16 In process

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

0

01 May 2016

🟢

☐ #15 Article in press

✎ Edit

📄 Copy to advanced search

🔄 Rerun

📧 Send now

📄 Export history

🔌 Turn Off

0

01 May 2016

🟢

Alert details


Alert name

apixaban

Search query

'apixaban'/drug toxicity','drug interaction','adverse drug reaction' OR 'apixaban-induced':de,ab,ti OR ('apixaban':de OR '1 (4 methoxyphenyl) 7 oxo 6 [4 (2 oxopiperidin 1 yl) phenyl] 4, 5, 6, 7 tetrahydro 1h pyrazolo [3, 4 c] pyridine 3 carboxamide' OR '4, 5, 6, 7 tetrahydro 1 (4 methoxyphenyl) 7 oxo 6 [4 (2 oxo 1 piperidinyl) phenyl] 1h pyrazolo [3, 4 c] pyridine 3 carboxamide' OR 'apixaban' OR 'bms 562247' OR 'bms 562247 01' OR 'bms 562247-01' OR 'bms562247' OR 'bms562247 01' OR 'bms562247-01' OR 'eliquis' OR 'eliquis' AND (adverse:de,ab,ti OR ((side OR undesirable OR unwanted) NEXT/2 (effect* OR reaction* OR event* OR outcome*)):de,ab,ti OR 'side effect'/lnk OR 'side effect'/exp OR 'adverse drug reaction'/exp OR 'complication'/lnk OR 'complication'/exp OR complication*:de,ab,ti OR 'case report*:de,ab,ti OR 'pharmacovigilance':de,ab,ti OR 'postmarketing surveillance'/exp OR 'toxicity'/exp OR toxic*:de,ab,ti OR inttox*:de,ab,ti OR 'safety':de,ab,ti OR poison*:de,ab,ti OR pharmacotox*:de,ab,ti OR neurotox*:de,ab,ti OR cardiotox*:de,ab,ti OR nephrotox*:de,ab,ti OR hepatotox*:de,ab,ti OR immunotox*:de,ab,ti OR immunocytotox*:de,ab,ti OR cytotox*:de,ab,ti OR carcinogen*:de,ab,ti OR cancerogen*:de,ab,ti OR mutagen*:de,ab,ti OR terato*:de,ab,ti OR 'fatal outcome'/exp OR

이메일 전체 이력
추적을 위해 경고
내역을 내보낼 수
있습니다



ELSEVIER

EMA's MLM searches

PV wizard

Drug name Alternative drug names Adverse drug reactions Special situations Human limit

Drug name

paracetamol

Clear field

Subheadings

☒ Adverse drug reaction ☐ Drug combination

☒ Drug toxicity ☐ Drug comparison

☒ Drug interaction ☐ Drug therapy

Search details

Summary:

{drug}/{subheading} OR [drug]-induced:de,ab,ti

[Full search strategy](#)

Show 14,338 results >

Next step >

EMA's MLM searches >

European Medicines Agency (EMA)는 2015 년 9 월 1 일 MLM 서비스를 시작합니다.

총 400 개의 활성 물질 그룹 (300 개의 화학 활성 물질 그룹 및 100 개의 허브 활성 물질 그룹)이 EMA에 의해 모니터링됩니다.

전체 검색어 목록을 보려면 여기 링크를 클릭하십시오.

MLM searches folder

Saved Searches

Private Shared **MLM**

EMA's MLM / 5-Fluorouracil /

Folder Options

New Edit Delete

EMA's MLM

- 5-Fluorouracil
- Acarbose
- Acetofenac
- Acetylcysteine
- Acetylsalicylic acid
- Aciclovir
- Aesculus
- Alendronic acid
- Alfacalcidol
- Alfuzosin
- Allopurinol
- Aloe
- Alprazolam
- Alprostadil
- Alternaria
- Althaea
- Ambrosia
- Ambroxol
- Amikacin
- Amiodarone

5-Fluorouracil

Run Edit Delete View Details Set Email Alert Set RSS Feed

	Your Query	Name	Last Update	Creation Date	Results
#1	'adrucil':tn OR 'efudex':tn OR 'efurix':tn OR 'fauldfluor':tn OR 'fluoro-uracil' OR 'fluoroplex':tn OR 'fluroblastin':tn OR 'cinkef-u':tn OR 'efudix':tn OR 'eurofluor':tn OR 'fluoro-uracil':tn OR 'fluoro-uracile':tn OR 'flurablastin' OR 'fluracetyl' OR 'fluroblastine' OR 'fluorouracil' OR 'ribofluor' OR '5-fluorouracil' OR '5-fluorouracil' OR '5-fu' OR '5-fluorouracilo' OR 'fluorouracyl' OR '5-fluorouracile' OR 'fluorouracile' OR 'fluorourasilila' OR 'fluorouracilo' OR '5-fluoruracil' OR 'fluorouracil' OR 'fluoruracil' OR 'fluorouracilum' AND ('adverse drug reaction'/exp OR adverse:de,ab,ti OR 'side effect':de,ab,ti OR 'side effects':de,ab,ti OR 'side effect':lnk OR 'drug overdose'/exp OR overdos*:de,ab,ti OR 'drug misuse'/exp OR misus*:de,ab,ti OR 'drug abuse'/exp OR 'substance abuse'/exp OR abus*:de,ab,ti OR 'pregnancy'/exp OR pregnan*:de,ab,ti OR 'pregnancy complications'/exp OR 'lactation'/exp OR 'breast feeding'/exp OR ('milk human'/exp AND 'secretion'/exp) OR 'fertility'/exp OR 'reproduction'/exp OR 'fetus'/exp OR 'embryo'/exp OR 'terat*:de,ab,ti OR 'drug efficacy'/exp OR 'drug withdrawal'/exp OR 'medication error'/exp OR 'death'/exp OR death*:de,ab,ti OR fatal*:de,ab,ti OR 'drug interactions'/exp OR 'drug interaction'/exp OR 'carcinogenicity'/exp OR carcinogen*:de,ab,ti OR mutagen*:de,ab,ti OR 'off label drug use'/exp OR 'occupational exposure'/exp OR 'toxicity'/exp OR toxic*:de,ab,ti OR 'pharmacotox*:de,ab,ti OR neurotox*:de,ab,ti OR cardiotox*:de,ab,ti OR nephrotox*:de,ab,ti OR immunotox*:de,ab,ti OR hepatotox*:de,ab,ti OR cytotox*:de,ab,ti OR immunocytotox*:de,ab,ti OR 'intoxication'/exp OR 'congenital disorder'/exp OR 'drug treatment failure'/exp OR 'case report'/exp OR 'case report s':de,ab,ti OR 'environmental exposure'/exp OR 'treatment contraindication'/exp OR 'drug contraindication'/exp OR 'injury'/exp OR suicide:de,ab,ti OR 'poisoning'/exp OR 'drug tolerance'/exp/mj OR 'treatment failure'/exp/mj OR 'drug resistance'/exp/mj OR 'substance-related disorders'/exp OR 'treatment failure'/exp OR 'drug resistance'/exp OR 'drug resistance':lnk) AND [humans]/lim				

검색 쿼리는 EMA가 MLM 서비스에 사용하는 것입니다. 그것은 매 6 개월마다 업데이트 됩니다. EMA와 합의되었습니다.

쿼리를 선택하고 "다시 실행"을 클릭하십시오. 검색 결과가 결과 페이지에 표시됩니다.

Thank you

